
Heaven's Gate

by the Hackrabbits


Opioids Are Killing Us

Arizona Department of Health Services
City of Mesa Fire and Medical Overdose Incidents



The Solution is Obvious

Governor's Office of Youth, Faith and Family








Resources Exist

Governor's Office of Youth, Faith and Family

13 Million for the Opioid Epidemic

Interview

Aaron Raine, Police Liaison to the City Manager Jessica Scannell, Arizona Angel Initiative



But the Pathway is Hard

Interviews

Aaron Raine, Police Liaison to the City Manager Psychiatrist Brigham Nicoll, MD, Maricopa County Hospital Dr. Ember Conley, Superintendent, Mesa Public Schools

Image and Article

East Valley Tribune, Jan 6, 2019

Mesa police try to help break addicts' arrest cycle



Addicts Don't Know What to Do

Interviews


Aaron Raine, Police Liaison to the City Manager Psychiatrist Brigham Nicoll, MD, Maricopa County Hospital Dr. Ember Conley, Superintendent, Mesa Public Schools

Image and Article

East Valley Tribune, Jan 6, 2019

Mesa police try to help break addicts' arrest cycle


The Solution



Heaven's Gate



- facility
- kiosk
- app





Source



Fire and Medical Opioid Overdose Incidents



Source



Police Dispatch Incidents


The Facility

Country Club and Main



The Kiosk

Psychiatrist Brigham Nicoll, MD Maricopa County Hospital



DSM-5 Criteria for Diagnosis of Opioid Use Disorder

Diagnostic Criteria*

These criteria not considered to be met for those individuals taking opioids solely under appropriate medical supervision.

Check	all	that	annly
CHECK	all	ulat	appiv

	Opioids are often taken in larger amounts or over a longer period of time than intended.
	There is a persistent desire or unsuccessful efforts to cut down or control opioid use.
	A great deal of time is spent in activities necessary to obtain the opioid, use the opioid, or recover from its effects.
	Craving, or a strong desire to use opioids.
	Recurrent opioid use resulting in failure to fulfill major role obligations at work, school or home.
DSM	Continued opioid use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of opioids.
	Important social, occupational or recreational activities are given up or reduced because of opioid use.
5	Recurrent opioid use in situations in which it is physically hazardous
	Continued use despite knowledge of having a persistent or recurrent physical or



The App



Partnerships

BUILTION IS A DISEASE NOT A

COMMUNITY BRIDGES, INC.



Mesa United Way





The Cost of Inaction

	1110 0000 01 1110001011						
			Incide	ant Fraguency Chart			
Ty Νι en	# of Law enforcemen 2	nt Incidents 2099	x (Inclu	usive cost of arrest + (200 + 66 + 170)	+ court) = Opioid Law Costs = \$915164	۱ rugs	
inc	# of EMS Overdoses	Incidents	X	Cost of medical Res	sponse = Opioid Medical Costs	:al	
Νι	8	330	x	8374	= \$6950420	se	
ov	Opioid Law Costs +	Opioid	Medica	al Costs	= Total costs		
	9	915164	+	6950420	= \$7,865,584		
Ту	pe	Co	St (>)		Source		
Single Law enforcement incident 2		20	0		Detective Raine		
IIIC	luent	20	U		Detective Kairie		

туре	Cost (\$)	Source
Single Law enforcement		
incident	200	Detective Raine
		Opioid Emergency Response
Single Overdose incident	8,374	Appendix J (MPS Data)
Night in Jail	66	Detective Raine
Public Defender	170	Detective Raine

Heaven's Gate



- facility
- kiosk
- app

