



2018 High Piled Combustible Storage Disclosure

The following information will be used to determine the requirements for fire protection as specified in the 2018 International Fire Code Ch. 32 and applicable referenced NFPA Standards.

BUILDING ADDRESS _____ CASE # _____

COMPANY NAME _____

[] CHECK HERE AND SIGN BELOW IF THIS FACILITY WILL NOT HAVE STORAGE OF HIGH HAZARD COMMODITIES OVER 6FT. HIGH, TO TOP OF STORAGE OR OVER 12FT. HIGH TO TOP OF STORAGE, FOR ALL OTHER COMMODITIES.

LIST ALL COMMODITIES TO BE STORED WITHIN THE HIGH PILED STORAGE AREA OVER 6FT. HIGH FOR HIGH HAZARD COMMODITIES AND OVER 12FT. HIGH FOR ALL OTHER COMMODITIES.
Table with 7 columns: COMMODITY, CLASS, STORAGE AREA (SQ FT), STORAGE HEIGHT, STORAGE METHOD *, ENCAPSULATED (Y/N), AISLE WIDTH.
*SIGNED: _____ DATE: _____
Business Owner or Representative
TITLE: _____

DEFINITIONS

COMMODITY – is a combination of products, packing materials and containers.

HIGH PILED STORAGE AREA – is an area within a building, which is designated, intended, proposed or actually used for high piled combustible storage.

HIGH-PILED COMBUSTIBLE STORAGE. Storage of combustible materials in closely packed piles or combustible materials on pallets, in racks or on shelves where the top of storage is greater than 12 feet (3658 mm) in height.

ENCAPSULATED – is a method of packaging consisting of a plastic sheet completely enclosing the sided and top of a pallet load. The term encapsulated does not apply to banding or individual plastic enclosed items inside a large non-plastic enclosed container.

EXTRA HIGH-RACK COMBUSTIBLE STORAGE – is storage on racks of Class I, II, III or IV commodities which exceed 40 feet (121 920mm) in height and storage on racks of high hazard commodities, which exceed 30 feet (9144mm) in height.

CLASS – See 2018 International Fire Code Ch. 32, Section 3203 for definitions of Class I, II, II IV and High Hazard Commodities and Group A, B and C Plastics.